GB00 00068

PCT/GB 00/00068

The Patent Office 09/889031

11 JANUARY 2000

INVESTOR IN PEOPLE

PRIORITY DOCUMENT

SUBMITTED OR TRANSMITTED IN COMPLIANCE WITH RULE 17.1(a) OR (b)

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

REC'D 09 FEB 2000
WIPO PCT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed P. Mahoney

Dated 20 January 2000

Patents Form 1/77

Patents Act 1977
(Rule 16)

THE PATENT OFFICE
D
14 JAN 1999
RECEIVED BY POST

The Patent Office

1/77

14JAN99 E417549-1 D02903
P01/7700 0.00 - 9900663.7

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

The Patent Office

Cardiff Road
Newport
Gwent NP9 1RH

1. Your reference

10375P5 GB/MD

14 JAN 19

2. Patent application number
(The Patent Office will fill in this part)

9900663.7

3. Full name, address and postcode of the or of each applicant *(underline all surnames)*

R & C Products Pty Limited
33 Hope Street
Ermington
NSW 2115
Australia

5967575001

Patents ADP number *(if you know it)*

If the applicant is a corporate body, give the country/state of its incorporation

Australia

4. Title of the invention

IMPROVEMENTS IN OR RELATING TO ORGANIC COMPOSITIONS

5. Name of your agent *(if you have one)*

"Address for service" in the United Kingdom to which all correspondence should be sent *(including the postcode)*

Martin N. Dale
Reckitt & Colman plc
Group Patents Department
Dansom Lane
HULL
HU8 7DS
UNITED KINGDOM

7188168001

Patents ADP number *(if you know it)*

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and *(if you know it)* the or each application number

Country	Priority application number *(if you know it)*	Date of filing *(day / month / year)*

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application	Date of filing *(day / month / year)*

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? *(Answer 'Yes' if:*

a) any applicant named in part 3 is not an inventor, or
b) there is an inventor who is not named as an applicant, or
c) any named applicant is a corporate body.
See note (d))

Yes

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form	
Description	13
Claim(s)	4
Abstract	1
Drawing(s)	

10. If you are also filing any of the following, state how many against each item.

Priority documents	
Translations of priority documents	
Statement of inventorship and right to grant of a patent *(Patents Form 7/77)*	One
Request for preliminary examination and search *(Patents Form 9/77)*	One
Request for substantive examination *(Patents Form 10/77)*	One
Any other documents *(please specify)*	FS2

11. I/We request the grant of a patent on the basis of this application.

Signature [signature] Date

Martin N. Dale 13 January 1999

12. Name and daytime telephone number of person to contact in the United Kingdom: Martin N. Dale - (01482) 582905

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.

b) Write your answers in capital letters using black ink or you may type them.

c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.

d) If you have answered 'Yes' Patents Form 7/77 will need to be filed.

e) Once you have filled in the form you must remember to sign and date it.

f) For details of the fee and ways to pay please contact the Patent Office.

Improvements in or Relating to Organic Compositions

Technical Field

This invention relates to insect repellent and sunscreen compositions and in particular to combined insect repellent and sunscreen compositions that have both effective repellency and sunscreening properties.

Background Art

The prior art is replete with insect repellent compositions and sunscreen compositions. Whilst these compositions are separately effective, it is desirable to provide an effective combined insect repellent and sunscreen composition.

Surprisingly, it has now been found that to produce a stable, effective combined insect repellent and sunscreen composition requires a carefully selected use of inorganic compounds as sunscreening agents.

Disclosure of Invention

Accordingly, the present invention consists in a sunscreen composition including one or more insect repellents and one or more UV sunscreening agents characterised in that, the composition includes at least one inorganic compound as a sunscreening agent. The inventors have found that the inorganic sunscreen agent in combination with insect repellent gives a composition that is stable and effective with respect to SPF.

One or more inorganic compounds are incorporated in the composition of the invention as a sunscreening agent. The preferred inorganic compounds are titanium oxide and zinc oxide. For these compounds, the

particle size can be selected to scatter light in the UV range whilst transmitting light in the visible range thereby remaining transparent on the skin. This is highly desirable from a cosmetic point of view. Micronised particles, that is those particles less than 100 nm in size, give optimal performance. Micronised titanium dioxide is most preferred for the composition of the invention. The concentration of inorganic compound may be in the range of 1-5% by weight based on the total weight of the composition, preferably 2-4% by weight and more preferably 3% by weight.

One or more insect repellents are included in the composition. The repellents are chosen for repellency of flying or biting insects and for low skin irritancy. Suitable repellents include N,N-diethyl-m-toluamide (DEET), dipropyl pyridine-2,5-dicarboxylate, pyrethrins, dimethyl phthalate, 2,3:4,5-bis(2-butylene)tetrahydrofurfural, citronella, geraniol, lemon grass oil, eugenol, p-menthane-3,8-diol, ethylbutyl acetylamino propionate, 1-piperidinecarboxylic acid and 2-(2-hydroxyethyl)-ester1-methylpropyl-ester.

These can be combined with synergists such as piperonyl butoxide and N-(2-ethylhexyl)-8,9,10-trinorborn-5-ene-2,3-dicarboximide.

DEET and dipropyl pyridine-2,5-dicarboxylate are the preferred repellents.

The total amount of insect repellent in the composition may be 4-20% by weight based on the total weight of the composition, preferably 4-15% by weight and more preferably 5-10% by weight.

The composition may include one or more other UV sunscreening agents. These are generally organic compounds which absorb a specific range of UV radiation. Suitable sunscreening agents include octyl methoxycinnamate, oxybenzone, amino benzoic acid, Cinoxate, DEA-methoxycinnamate, Digalloyl, Dioxybenzene, Padimate O, Ethyl dihydroxypropyl p-aminobenzoate, octyl salicylate, glyceryl aminobenzoate, Homosalate, Urocanic acid, isopropylbenzyl salicylate, menthyl anthranilate, octocrylene, Sulisbenzone and its sodium salt and triethanolamine salicylate.

A combination of octylmethoxycinnamate and oxybenzone is most preferred. Each sunscreening agent is preferably incorporated in the composition in an amount of 3-10% by weight based on the total weight of the composition.

The composition may be prepared in the form an emulsion. Accordingly, a second aspect of the invention consists in a sunscreen composition further including, by weight, based on the total weight of the composition,

3-9%, preferably 7% emulsifier,

up to 5%, preferably 1-5%, more preferably 3% film former,

up to 0.25%, preferably 0.05-0.25%, more preferably 0.15% thickener,

up to 0.3%, preferably 0.1-0.3%, more preferably 0.15% neutraliser,

up to 0.3%, preferably 0.1-0.3%, more preferably 0.2% chelating agent and

up to 2.5% of at least one of preservative, perfume and moisturiser.

The choice of emulsifier will depend on the insect repellents and sunscreening agents selected. A combination of emulsifiers is preferred. An emulsion is most accurately defined as a dispersion of liquid droplets in a second immiscible liquid. Dispersions may be formed temporarily through agitation of the two immiscible liquids, however, resolution of the emulsion is usually rapid and complete unless a stabilising additive or emulsifier is used.

Emulsions usually consist of water or an aqueous solution as one immiscible phase and some organic liquid, or "oil", as the other phase. When the oil is dispersed in the aqueous phase the emulsion is called oil in water (o/W) or alternatively, if the aqueous phase is dispersed in the oily phase the emulsion is described as water in oil (w/o). An emulsifying agent is usually required to stabilise the emulsion. Such agents are ordinarily large molecules of which the greatest part of the molecule is non-polar (for solubility in the oil phase) and a smaller part is polar (for orientation and solubility into the water phase).

Typical properties of oil in water emulsions include : creamy feel, mixing readily with water and high SPF efficacy. The composition of the invention is preferably in the form of an oil in water emulsion.

An example of a suitable emulsifying system includes polyethylene glycol ether of stearyl alcohol, glycerol monostearate, blends of selected fatty alcohols with nonionic surfactants and a blend of stearyl and cetyl alcohol in the ratio of 65:35. However, a wide range of other emulsifiers appear useful for this purpose.

The composition optionally includes a film former. The preferred film former is Tricontanyl PVP.

The composition may include thickeners, chelating agents and pH adjusting agents as required. These are readily known to the person skilled in the art. Suitable thickeners include acidic acrylates such as carboxyl polymethylene, and cellulose based thickeners such as methyl cellulose, guar gum, sodium alginate and sodium carboxymethyl cellulose. A suitable chelating agent is disodium EDTA. Triethanolamine may be used as a neutraliser as if required.

The person skilled in the art will recognise that perfumes, emollients and moisturisers may be included to satisfy organoleptic requirements.

Preservatives may also be used as required. These are readily known to the person skilled in the art.

The inventors have found that in preparing an emulsion, the order of addition of ingredients affects the SPF of the final composition.

Accordingly, a third aspect of the invention consists in a method of manufacturing a sunscreen composition including one or more insect repellents and one or more UV sunscreening agents, the composition being in the form of an emulsion having a water phase and an oil phase characterised in that the water phase and oil phase are prepared and combined to form an emulsion prior to the addition of at least one inorganic compound which is used as a sunscreening agent.

In a fourth aspect, the invention consists in a method of manufacturing a sunscreen composition including the steps of:

(a) preparing a water phase including water and thickener

(b) preparing an oil phase including emulsifier, film former, insect repellent and organic sunscreen,

(c) combining said water phase and oil phase to form an emulsion; and

(d) adding at least one inorganic compound as a sunscreening agent.

In a fifth aspect, the invention consists in a sunscreening composition manufactured according to the methods described above.

The invention will now be further described with reference to a number of examples.

Modes for carrying Out the Invention

	Formula 1	Formula 2	Formula 3
Ingredients	**w/w%**	**w/w%**	**w/w**
DEET	7	7	7
MGK - 326	2.8	2.8	2.8
Parsol MCX	7.5	9	9
Oxybenzone USP	3	5	5
Tioveil AQ-G	7.5	10	7.5
Cithrol GMS A/S	1.5	1.5	1.5
Volpo S20	2	2	2
Crodacol CS70	1.75	1.75	1.75
Polawax GP 200	1.75	1.75	1.75
Antaron WP-660 (Tricontanyl PVP)	3	3	3
Silicone DC 200/500	0.3	0.3	0.3
Carbopol 940	0.15	0.15	0.15
Aloe Vera powder 1:200	0.01	0.01	0.01
Disolvine Na2 (disodium EDTA)	0.2	0.2	0.2
Triethanolamine 85%	0.15	0.15	0.15
Germaben II-E	1	1	1
Perfume Kokoda 6463	0.3	0.3	0.3
Water	60.09	54.09	56.59
	100	100	100

The ingredients listed above are further described below in Table 1.

TABLE 1.

INGREDIENT (SUPPLIER)	*PURPOSE*
DEET (MGK) N,N-diethyl-m-toluamide	Mosquito repellent
MGK -326 (MGK) dipropyl pyridine-2,5-dicarboxylate 99%	Fly repellent
Parsol MCX (Givaudan) octyl methoxycinnamate 98%	UVB filter, organic sunscreen
Benzophenone -3 (Aceto Corp.) oxybenzone 98%	UVA/B filter, organic sunscreen
Tioveil AQ micronised titanium dioxide 40%	UVA/B filter, organic sunscreen
Cithrol GMS A/S (Croda) glycerol monostearate	emulsifier
Volpo S20 (Croda) ethoxy (20) stearyl alcohol	emulsifier
Crodacol CS70 (Croda) cetoaryl alcohol 35/65	emulsifier
Polawax GP 200 (Croda) cetearyl alcohol + PEG 20 stearate	emulsifier
Antaron WP-660 (ISP) 2-pyrrolidinone, 1-ethenyl polymer with 1-triacontene	film former
Silicone DC 200/500 (Dow Corning) silicone oil 200/500	emollient
Carbopol 940 (B F Goodrich) carboxyl polymethylene	thickener

Aloe Vera powder 1:200	moisturiser
Sequestrene NA2 disodium EDTA	chelating agent
Triethamolamine H/H (Union Carbide)	neutraliser
Germaben II-E	preservative
Kokoda 6463	perfume
Water	diluent

Preparation

A water phase is prepared by adding water is added to a clean, dry mixing vessel and stirring to create a vortex. Carbopol powder is sprinkled into the vortex and the mixture heated to 75-80oC.

In a separate vessel, an oil phase is prepared by adding emulsifiers, film former, mosquito and fly repellent i.e. Cithrol GMS A/S, Volpo S20, Crodacol CS70, Polawax GP 200, Antaron WP-660, DEET and MGK-326. The mixture is stirred and heated. When all ingredients have melted, oxybenzone is added. Heating is continued to 75-80oC until the oxybenzone is melted then octyl methoxycinnamate is added. Stirring is maintained until the mixture is homogenous and clear.

When both the water and the oil phases are at a temperature of 75-80oC, the oil phase is introduced into the water phase with stirring. When all the oil phase is added, stirring is stopped and the mixture is homogenised for five minutes. Stirring is recommenced and the chelating agent and half of the neutraliser are added followed by the addition of the titanium dioxide.

The remaining neutraliser is then added. Stirring is stopped and the mixture is homogenised for five minutes. Stirring is recommenced with addition of moisturiser, emollient and preservative.

If a zinc oxide inorganic sunscreen agent is used, a different thickening system would be appropriate. A cellulose-based thickener such as methyl cellulose, guar gum, sodium alginate and sodium carboxymethyl cellulose could be used, in which case a neutraliser would not be required.

Testing

Formulae 1 and 3 were tested in two ways:

A. Determination of sun protection factor (SPF) and

B. Broad spectrum test.

A. Determination of sun protection factor (SPF)

Principle: The individual sun protection factor, SPF, of a sunscreen product is determined from the minimum erthemal dose (MED) of the skin that has been protected with the sunscreen product and from the MED of an adjacent area of unprotected skin, under specific conditions by means of the following relationship, where the UV source has constant intensity:

$$\text{Sun Protection Factor} = \frac{\text{MED for protected skin}}{\text{MED for unprotected skin}}$$

The sun protection factor of a product is calculated as the arithmetical mean of the individual sun protection factors. MED is defined as the amount of energy from any source required to produce a minimally perceptible redness reaction of the skin.

Test procedure:

The MED of the (untreated) subject at the test site is first determined using a solar simulator. An experienced tester can often predict a MED for a particularlamp intensity and subject but, where necessary, one or more sets of exposures must be read 16h to 24h later to determine the approximate MED without exposing the subject to excessive radiation. Exposures are made on one or more small subsite areas at measured exposure times.

On the basis of this predicted or approximate value, the MED is determined more precisely by a set of exposures which span a dose range of approximately 0.6 to 1.5 of the MED. Usually, these doses are administered the day before the product is tested but they may be administered at the same time. When the doses are administered the day before, the result when read, not only provides the denominator for calculating the protection factor but, when multiplied by the expected or likely value of the product's protection factor, provides an estimate for the longer exposure needed to assess the product.

The product is assessed by exposing a set of small subsite areas adjacent to the untreated areas, after application of the product. Times of exposure are selected to bracket the above estimate. when read 16h to 24h later, the MED for the treated skin is divided by the MED for untreated skin to give the protection factor.

The results of the tests on formulae 1 and 3 are shown below in table 2.

Table 2

	Subject	Sex	Skin Type	MED. (sec)	Protected MED (sec)	SPF
Formula 1	A	F	III	16	496	31
	B	M	II	10	>341	34.1
	C	M	II	12	372	31
Formula 3	A	F	III	16	>496	>31.0
	B	M	II	10	341	34.1
	C	M	II	12	>450	>37.5

Skin Type =I - sensitive, always burns

II - moderate, burns sometimes

III - normal, burns and tans

MED = minimal erythermal dose

SPF over 30 was demonstrated in each case.

B. Broad Spectrum test.

There are three alternative test methods of sample preparation and transmittance measurement in the region 320 - 360nm of broad spectrum sunscreen products well known to those skilled in the art. The method used by the inventors is the thin film method.

Materials and equipment:

The following materials and equipment are required: A spectrophotometer capable of determining percentage transmission from 320 -360nm radiation. A quartz cell, with suitable lid, constructed to provide an 8m layer of sunscreen product for testing.

Procedure:

Fill the cell with the sunscreen product and determine the transmission of the product from 320 - 360nm inclusive. Record the percentage transmission of the product under test from 320 - 360nm inclusive.

Results:

The compositions of formulae 1 and 3 did not transmit more than 10% of UV radiation at any wavelength between 320 nm and 360 nm inclusive.

It will be appreciated by persons skilled in the art that numerous variations and/or modifications may be made to the invention as shown in the specific embodiments without departing from the spirit or scope of the invention as broadly described. The present embodiments are, therefore, to be considered in all respects as illustrative and not restrictive.

CLAIMS:

1. A sunscreen composition, including one or more insect repellents and one or more UV sunscreening agents, characterised in that the composition includes at least one inorganic compound as a sunscreening agent.

2. A sunscreen composition as in claim 1 wherein the inorganic compound is zinc oxide or titanium dioxide, preferably micronised zinc oxide or micronised titanium dioxide, most preferably micronised titanium dioxide.

3. A sunscreen composition as in claim 1 or claim 2 including N,N-diethyl-m-toluamide and/or dipropyl pyridine-2,5-dicarboxylate as an insect repellent.

4. A sunscreen composition as in any one of claims 1 to 3 including one or more UV sunscreening agents in addition to the inorganic compound.

5. A sunscreen composition including by weight, based on the total weight of the composition,

(a) 1-5%, preferably 2-4%, more preferably 3% inorganic compound as a sunscreening agent,

(b) 4-20%, preferably 4-15%, more preferably 5-10% insect repellent and

(c) Up to 10% each, preferably 3-10% each of one or more organic UV sunscreening agents.

6. A sunscreen composition as in claim 5 wherein the inorganic compound is zinc oxide or titanium dioxide, preferably micronised zinc oxide or micronised titanium dioxide, most preferably micronised titanium dioxide.

7. A sunscreen composition as in claim 5 wherein the insect repellent is N,N-diethyl-m-toluamide and/ or dipropyl pyridine-2,5-dicarboxylate.

8. A sunscreen composition as in any one of claims 1 to 8 further including

(d) 3-9%, preferably 7% emulsifier

(e) up to 5%, preferably 1-5%, more preferably 3% film former

(f) up to 0.25%, preferably 0.05-0.25%, more preferably 0.15% thickener

(g) up to 0.3%, preferably 0.1-0.3%, more preferably 0.15% neutraliser

(h) up to 0.3%, preferably 0.1-0.3%, more preferably 0.2% chelating agent

(i) up to 2.5% of at least one of preservative, perfume and moisturiser.

9. The use of one or more inorganic compounds as a sunscreening agent in a sunscreen composition which includes one or more insect repellents.

10. A combined insect repellent and sunscreen composition including one or more insect repellents, one or more UV sunscreening agents, characterised in that the sunscreening agent includes one or more inorganic compounds.

11. A method of manufacturing a sunscreen composition including one or more insect repellents and one or more UV sunscreening agents, the composition being in the form of an emulsion having an oil phase and a water phase characterised in that the water phase and oil phase are prepared and combined to form an

emulsion prior to addition of at least one inorganic compound which is used as a sunscreening agent.

12. A method of manufacturing a sunscreen composition including the steps of:

(a) preparing a water phase including water and thickener;

(b) preparing an oil phase including at least one emulsifier, at least one insect repellent and at least one organic sunscreen;

(c) combining said water phase and oil phase to form an emulsion; and

(d) adding at least one inorganic compound which is used as a sunscreening agent.

13. A method of manufacturing a sunscreen composition in the form of an oil-in-water emulsion including the steps of:

(a) preparing a water phase by combining water and thickener while stirring and heating,

(b) preparing an oil phase by combining at least one emulsifier, at least one insect repellent, optionally a film former and at least one organic sunscreen while stirring and heating,

(c) adding the oil phase to the water phase while stirring,

(d) optionally adding a chelating agent and a neutraliser to the combined water and oil phases; and

(e) adding at least one inorganic compound which is used as a sunscreening agent to the combined water and oil phases while stirring.

14. The method of claim 13 wherein the water phase of step (a) and the oil phase of step (b) are heated to a temperature in the range of 75-80oC respectively before combining in step (c).

15. The method of any one of claims 11 to 14 wherein the inorganic compound is zinc oxide or titanium dioxide, preferably micronised zinc oxide or micronised titanium dioxide, most preferably micronised titanium dioxide.

16. The method of any one of claims 11 to 15 wherein the insect repellent is N,N-diethyl-m-toluamide, dipropylpyridine-2,5-dicarboxylate or a mixture thereof.

17. The method of any one of claims 11 to 16 wherein the organic sunscreen is oxybenzone, octylmethoxycinnamate or a mixture thereof.

18. A sunscreen composition manufactured according to the method of any one of claims 11 to 17.

19. A sunscreen composition, including one or more UV sunscreening agents as herein before described with reference to the examples.

20. A method of manufacturing a sunscreen composition as hereinbefore described with reference to the examples.

ABSTRACT

IMPROVEMENTS IN OR RELATING TO ORGANIC COMPOSITIONS

A combined insect repellent and sunscreen composition is disclosed including at least one inorganic compound as a sunscreening agent. The composition preferably comprises titanium dioxide as the inorganic compound and N,N-diethyl-m-toluamide and dipropyl pyridine-2,5-dicarboxylate as insect repellents.

A method of manufacturing a sunscreen composition is also disclosed.

The composition including one or more insect repellents and one or more sunscreening agents, is the form of an emulsion having an oil phase and a water phase and is manufactured by preparing the oil phase and the water phase and combining to form an emulsion prior to the addition of at least one inorganic compound used as a sunscreening agent.